

at least one rear wheel operatively connected to said vehicle body;

a first passageway located longitudinally between said at least one front wheel and said at least one rear wheel and extending transversely between said interior and an exterior of the motor vehicle and having a height greater than a width thereof to allow an occupant to enter and exit said interior;

a first door connected to said vehicle body and rotatable longitudinally to open and close said first passageway;

a second passageway located adjacent said floor and vertically above said at least one front wheel and said at least one rear wheel and longitudinally between said first door and said at least one rear wheel and extending transversely between said interior and the exterior of the motor vehicle for loading and unloading items through said second passageway, said second passageway having a width thereof at least equal to a height thereof; and

a second door connected to said vehicle body and rotatable longitudinally to open and close said second passageway.

12. (AMENDED) A motor home comprising:

a vehicle body extending longitudinally and having sides, a floor, and a roof defining an interior;

at least one front wheel operatively connected to said vehicle body;

at least one rear wheel operatively connected to said vehicle body;

a first passageway located longitudinally between said at least one front wheel and said at least one rear wheel and extending transversely between said interior and an exterior of the motor vehicle and having a height greater than a width thereof to allow an occupant to enter and exit said interior;

a first door⁽²⁰⁾ connected to said vehicle body and rotatable longitudinally to open and close said first passageway;

a square shaped second passageway⁽²⁴⁾ located adjacent said floor and vertically above said at least one front wheel and said at least one rear wheel and longitudinally between said first door and said at least one rear wheel and extending transversely between said interior and the exterior of the motor vehicle⁽²⁵⁾ for loading and unloading items through said second passageway; and

a second door⁽²⁶⁾ connected to said vehicle body and rotatable longitudinally to open and close said second passageway.

13. (AMENDED) A motor vehicle comprising:

a vehicle body⁽²⁷⁾ extending longitudinally and having sides, a floor⁽²⁸⁾, and a roof⁽²⁹⁾ defining an interior;

at least one front wheel⁽³⁰⁾ operatively connected to said vehicle body;

at least one rear wheel⁽³¹⁾ operatively connected to said vehicle body;

a first passageway⁽³²⁾ located longitudinally between said at least one front wheel and said at least one rear wheel and extending transversely between said interior and an exterior of the motor vehicle and having a height greater than a width thereof to allow an occupant to enter and exit said interior;

a first door⁽³³⁾ connected to said vehicle body and rotatable longitudinally to open and close said first passageway;

a second passageway⁽³⁴⁾ located adjacent said floor and vertically above said at least one front wheel and said at least one rear wheel and longitudinally between said first door and said at least one rear wheel and extending transversely between said interior and the exterior of

2
the motor vehicle for loading and unloading items through said second passageway, said second passageway having a width less than two feet and a height less than two feet; and

(7~)
a second door connected to said vehicle body and rotatable longitudinally to open and close said second passageway.
